




Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **6529 – 10382 CMA**

Stud Size: **1/4**

Features

Product Type Features

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	1/4
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	.309 g
----------------	--------

Contact Features

Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	None



Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

	.15 in
Wire Size	6529 – 10382 CMA
Stud Diameter	5.3 mm [.209 in]
Tongue Thickness	.76 mm [.03 in]
Product Length	24.13 mm [.95 in]
Barrel Inside Diameter	2.66 mm, 4.44 mm [.105 in] [.175 in]
Compatible Insulation Diameter (Max)	5.31 mm [.209 in]
Compatible Insulation Diameter Range	3.8 – 5.3 mm [.15 – .209 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	2200
Packaging Method	Strip/Reel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per



homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 153261-3
SHAKE PROOF RING TONGUE

TE Part # 150520-2
RT .197 DIA TERMINAL 16-13 AWG TPBR

TE Part # 2150391-2
OCEAN_2.0_Applicator-E-180F250F-REA

TE Part # 7-2150391-7
OCEAN_2.0_SPARE_PART_KIT-180F250F

TE Part # 160548-2
RING TONGUE 22-20 AWG .0120 X .290 PTPBR

Customers Also Bought

TE Part #42007
RING 190(4.82MM) TERMINAL 18-14 AWG TPBR

TE Part #62420-1
MAG-MATE TERM 20-22 016 TPBR

TE Part #62429-1
MAG-MATE TERM 27-30 013TPBR

TE Part #62833-1
MAG-MATE POKE-IN TERM 016TPBR



TE Part #62935-1
MAG-MATE TERM 27-23 016 TPBR



TE Part #160163-2
RING TONGUE WITH IS 3.1-5.3 MM2
TPBR



TE Part #480435-1
187 FASTON HSG. REC 1P NATURAL



TE Part #1-480498-1
02P CMNL CAP HSG F/H BLK



TE Part #1-640415-0
UMNL KEYING PLUG V0



TE Part #926884-1
UNIV.M-N-L.SOCKET

Documents

Product Drawings

RING TONGUE WITH IS 12-10 AWG TPBR

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_160134-2_R.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_160134-2_R.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_160134-2_R.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English