

174737-2 SUPERSEDED**Positive Lock | Positive Lock 187**

TE Internal #: 174737-2

TE Internal Description: 187 sleeve PL YELLOW transparent

[View on TE.com >](#)

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Insulation Boots & Sleeves

Insulation Boot & Sleeve Product Type: **Insulation Sleeve**Terminal Orientation: **Straight**Primary Product Material: **PVC**Primary Product Color: **Yellow**Packaging Method: **Bag**

Features

Product Type Features

Insulation Boot & Sleeve Product Type	Insulation Sleeve
---------------------------------------	-------------------

Configuration Features

Number of Positions	1
---------------------	---

Body Features

Primary Product Material	PVC
--------------------------	-----

Primary Product Color	Yellow
-----------------------	--------

Contact Features

Accepts Terminal Style	Receptacle
------------------------	------------

Terminal Orientation	Straight
----------------------	----------

Dimensions

Product Length	22.5 mm[.88 in]
----------------	-----------------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Product Compliance


For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Also in the Series | Positive Lock 187



Customers Also Bought



TE Part #EM7490-000
X2-9.0-0-FSP-SM



TE Part #34892
TERMINAL,BUDG R 12-10 6



TE Part #323170
TERMINAL,SOLIS R HR 6 1/4



TE Part #350735-1
12P UMNL PLUG HSG




TE Part #1241404-1
AMP MCP 6.3/4.8K, CONTACT



TE Part #1355719-1
MQS0,63 Sn tab LL unseal. 0,08-0,22



TE Part #9-1579007-5
EXTRACTION TOOL



TE Part #1734723-1
RJ11,6P6C,SINGLE,DIP,W/O LED 6u"



TE Part #1488167-1
FERRULE, RTK031, 180 GRAD



TE Part #1-1891230-6
COMBINATION ANVIL

Documents

Product Drawings

[187 sleeve PL YELLOW transparent](#)

Japanese

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_174737-2_O.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_174737-2_O.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_174737-2_O.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

[Instruction Sheet \(non U.S.\)](#)

English

[POSITIVE LOCK EX CONTACT](#)

English

[Agency Approvals](#)

[UL Report](#)

English