




Terminals & Splices > PCB Terminals



PCB Terminal Type: **Tab**

Mating Tab Width: **6.35 mm [.25 in]**

Mating Tab Thickness: **.81 mm [.032 in]**

PCB Hole Diameter: **5.2 mm [.204 in]**

Profile Height from PCB: **7.7 mm [.303 in]**

Features

Product Type Features

Terminal Features	Stud Hole
-------------------	-----------

Contact Features

Contact Mating Area Plating Material Thickness	2 – 10 µm[78.74 – 393.7 µin]
PCB Contact Termination Area Plating Material Thickness	2 – 10 µm[78.74 – 393.7 µin]
PCB Terminal Type	Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Plating Material	Tin
Contact Underplating Material	None
Terminal Size	6.35
Terminal Orientation	45 Bend

Termination Features

Termination Method to PCB	Through Hole - Screw
Product Terminates To	Printed Circuit Board



Dimensions

Stud Diameter	5.2 mm[.205 in]
PCB Hole Diameter	5.2 mm[.204 in]
Profile Height from PCB	7.7 mm[.303 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Industry Standards

Compatible With Agency/Standards Products	CSA, UL
---	---------

Packaging Features

Packaging Quantity	5000
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 181948-1
250 FASTON,TAB,BR

TE Part # 41484
250 FASTON TAB TPBR

TE Part # 181949-2
250 FASTON,TAB,TPBR

TE Part # 181949-1
250 FASTON,TAB,BR

TE Part # 181953-1
250 FASTON,TAB,BR

TE Part # 63038-1
250 FASTON TAB TPBR

TE Part # 61365-1
250 FASTON TAB TPBR

TE Part # 61499-1
250 FASTON TAB TPBR

TE Part # 63971-1
250 FASTON TAB TPBR

Also in the Series | FASTON 250

Compression Connectors(4)

Crimp Terminal Housings(116)

Insulation Boots & Sleeves(16)

Magnet Wire Terminals(1)



PCB Terminals(131)



Quick Disconnects(411)




Splices(4)

Customers Also Bought




TE Part #CAT-T3437-H99
HX-SCE Low Fire Hazard Sleeves



TE Part #1SNA115407R1400
MB4/6.L3



TE Part #812351-SF
FN9289-2-100



TE Part #6339191-1
MJ,RJ45,SMT,SHLD,LED (Y/G)



TE Part #CAT-LMPH9507
Low & Medium Power Header



TE Part #1-1414312-0
V23134M0052X440-EV-CBOX

Documents

Product Drawings

250 FASTON,TAB,TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_181948-2_F.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_181948-2_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_181948-2_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Datasheets & Catalog Pages

1654742_HOUSEHOLD_APPLIANCES_RAST5

English

FASTON TERMINALS (INSULATED AND UNINSULATED) - FULL CATALOG

English